

Fig. 1





Fig. 3

0966009660

Fig. 2



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

MS1-387US


Annotation Entry

180 ↘

Author <u>182</u>
Time Range <u>184</u>
Time Units <u>186</u>
Creation Time <u>188</u>
Title <u>190</u>
Content <u>192</u>
Annotation Identifier <u>194</u>
Related Annotation Identifier <u>196</u>
Set Identifier(s) <u>198</u>
Media Content Identifier <u>200</u>
Property Fields <u>202</u>
Sequence Number <u>204</u>

*Fig. 4*

09396706-091599  
665T60" 90296E60



*Fig. 5*




Fig. 6




Fig. 7

09396706-091599

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

MS1-387US

330

332

Fig. 8

340

290

292

344

342

Fig. 9

665160" 90296E60




Fig. 10




Fig. 11

0096709500296E60




Fig. 12




Fig. 13



665160" 90295E60




Fig. 14




Fig. 15

665T60" 90496E60




Fig. 16




Fig. 17

MS1-387US

**Fig. 19**




Fig. 20




Fig. 21

09396706-091599

Best Available Copy




Fig. 22

Best Available





Fig. 23



65160" 30496E60

670



618

672

678


674

676

Fig. 24

665T6D" 90296E6D

690



672

694

696

676


692

Fig. 25



665T60" 90496E60

710



712

Fig. 26